# Dicas problemas de configurações

LInk: https://github.com/baptisteArno/typebot.io/issues/942

Procedimentos extraídos de listas do typebot sobre dificuldades de instalações.

## Cannot get SMTP config to send email #942

**baptisteArno** commented on Oct 17, 2023 •
Probably an issue with the single quote on `NEXT_PUBLIC_SMTP_FROM`
My config with Sendinblue:

```
SMTP_USERNAME=baptiste@typebot.io
SMTP_PASSWORD=...
SMTP_HOST=smtp-relay.sendinblue.com
SMTP_PORT=587
NEXT_PUBLIC_SMTP_FROM="'Typebot Notifications' <notifications@typebot.io>"
```

**MAS-CreativeLabs** commented on Nov 12, 2023

I apologize for the delayed reply, I was on a trip. her's my configuration: I'm hosting typebot on a Synology NAS with a reverse proxy (the same exact test machine I use for all my docker in my testing environment. I used portainer for the deployment of typebot and I followed the instructions from the official documentation.

### Docker compose file :

`version: '3.3'

volumes:
db-data:

services:
typebot-db:
image: postgres:14-alpine

restart: always
volumes:
- db-data:/var/lib/postgresql/data

```
environment:
  - POSTGRES_DB=typebot
  - POSTGRES_PASSWORD=typebot
```

typebot-builder:
image: baptistearno/typebot-builder:latest
restart: always
depends_on:
- typebot-db
ports:
- '8080:3000'
extra_hosts:
- 'host.docker.internal:host-gateway'
env_file: stack.env

typebot-viewer:
image: baptistearno/typebot-viewer:latest
restart: always
ports:
- '8081:3000'
env_file: stack.env`

# .env file:

`ENCRYPTION_SECRET=XXXXXXXXXXXXXXXXXXXXXXXX

DATABASE_URL=postgresql://postgres:typebot@typebot-db:5432/typebot

NEXTAUTH_URL=https://typebot.mydonmain.com

NEXT_PUBLIC_VIEWER_URL=https://bot.mydonmain.com

ADMIN_EMAIL=XXXXX@gmail.com

NEXTAUTH_URL_INTERNAL=http://localhost:3000

DEFAULT_WORKSPACE_PLAN=UNLIMITED

DISABLE_SIGNUP=false

NEXT_PUBLIC_BOT_FILE_UPLOAD_MAX_SIZE=250

SMTP_USERNAME=XXXXX@XXXXX.com

SMTP_PASSWORD=XXXXXXXXXXXXXXXXXXX

SMTP_HOST=ssl0.ovh.net

SMTP_PORT=465

SMTP_SECURE=true

NEXT_PUBLIC_SMTP_FROM="'Typebot Notifications' XXXXX@XXXXX.com"

GOOGLE_CLIENT_ID=XXXXXXXXXX-
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX.apps.googleusercontent.com

GOOGLE_CLIENT_SECRET=XXXXX-XXXXXXXXXX_XXXXX

GITHUB_CLIENT_ID=XXXXXXXXXXXXXXXXXXXXXXX

GITHUB_CLIENT_SECRET=XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

FACEBOOK_CLIENT_ID=XXXXXXXXXXXXXXXXXX

FACEBOOK_CLIENT_SECRET=XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

NEXT_PUBLIC_GIPHY_API_KEY=XXXXXXXXXXXXXXXXXXXXXXX

NEXT_PUBLIC_UNSPLASH_APP_NAME=Typebot

NEXT_PUBLIC_UNSPLASH_ACCESS_KEY=XXXXXXXXXXXXXXXXXXXXXXX

**Obs: Para funcionar no laboratório nestas configurações foi apontado o NEXTAUTH_URL e NEXT_PUBLIC_VIEWER_URL para o mesmo endereço de viewer.**

---

Revision #1
Created 2024-09-13 11:26:45 UTC by Administrador
Updated 2024-09-13 11:36:21 UTC by Administrador