

Dicas problemas de configurações

Link: <https://github.com/baptisteArno/typebot.io/issues/942>

Procedimentos extraídos de listas do typebot sobre dificuldades de instalações.

Cannot get SMTP config to send email #942

[baptisteArno](#) commented [on Oct 17, 2023](#) •

Probably an issue with the single quote on `NEXT_PUBLIC_SMTP_FROM`

My config with Sendinblue:

```
SMTP_USERNAME=baptiste@typebot.io
SMTP_PASSWORD=...
SMTP_HOST=smtp-relay.sendinblue.com
SMTP_PORT=587
NEXT_PUBLIC_SMTP_FROM="'Typebot Notifications' <notifications@typebot.io>"
```

[MAS-CreativeLabs](#) commented [on Nov 12, 2023](#)

I apologize for the delayed reply, I was on a trip. her's my configuration: I'm hosting typebot on a Synology NAS with a reverse proxy (the same exact test machine I use for all my docker in my testing environment. I used portainer for the deployment of typebot and I followed the instructions from the official documentation.

Docker compose file :

```
`version: '3.3'
```

```
volumes:
```

```
db-data:
```

```
services:
```

```
typebot-db:
```

```
image: postgres:14-alpine
```

```
restart: always
```

```
volumes:
```

- db-data:/var/lib/postgresql/data

```
environment:
```

- POSTGRES_DB=typebot
- POSTGRES_PASSWORD=typebot

typebot-builder:

image: baptistearno/typebot-builder:latest

restart: always

depends_on:

- typebot-db

ports:

- '8080:3000'

extra_hosts:

- 'host.docker.internal:host-gateway'

env_file: stack.env

typebot-viewer:

image: baptistearno/typebot-viewer:latest

restart: always

ports:

- '8081:3000'

env_file: stack.env`

.env file:

```
`ENCRYPTION_SECRET=XXXXXXXXXXXXXXXXXXXXXXXXXXXX
```

```
DATABASE_URL=postgresql://postgres:typebot@typebot-db:5432/typebot
```

```
NEXTAUTH_URL=https://typebot.mydonmain.com
```

```
NEXT_PUBLIC_VIEWER_URL=https://bot.mydonmain.com
```

```
ADMIN_EMAIL=XXXXXX@gmail.com
```

```
NEXTAUTH_URL_INTERNAL=http://localhost:3000
```

```
DEFAULT_WORKSPACE_PLAN=UNLIMITED
```

```
DISABLE_SIGNUP=false
```

```
NEXT_PUBLIC_BOT_FILE_UPLOAD_MAX_SIZE=250
```

SMTP_USERNAME=XXXXX@XXXXX.com

SMTP_PASSWORD=XXXXXXXXXXXXXXXXXXXX

SMTP_HOST=ssl0.ovh.net

SMTP_PORT=465

SMTP_SECURE=true

NEXT_PUBLIC_SMTP_FROM=""Typebot Notifications' XXXXX@XXXXX.com""

GOOGLE_CLIENT_ID=XXXXXXXXXX-XXXXXXXXXXXXXXXXXXXXXXXXXXXX.apps.googleusercontent.com

GOOGLE_CLIENT_SECRET=XXXXX-XXXXXXXXXXXX_XXXXX

GITHUB_CLIENT_ID=XXXXXXXXXXXXXXXXXXXXXXXXXXXX

GITHUB_CLIENT_SECRET=XXXXXXXXXXXXXXXXXXXXXXXXXXXX

FACEBOOK_CLIENT_ID=XXXXXXXXXXXXXXXXXXXX

FACEBOOK_CLIENT_SECRET=XXXXXXXXXXXXXXXXXXXXXXXXXXXX

NEXT_PUBLIC_GIPHY_API_KEY=XXXXXXXXXXXXXXXXXXXX

NEXT_PUBLIC_UNSPASH_APP_NAME=Typebot

NEXT_PUBLIC_UNSPASH_ACCESS_KEY=XXXXXXXXXXXXXXXXXXXX

Obs: Para funcionar no laboratório nestas configurações foi apontado o NEXTAUTH_URL e NEXT_PUBLIC_VIEWER_URL para o mesmo endereço de viewer.

Revision #1

Created 13 September 2024 11:26:45 by Administrador

Updated 13 September 2024 11:36:21 by Administrador